

DOI: 10.17986/blm.1704

Adli Tıp Bülteni 2024;29(2):127-137

Measurement of Pen Pressure of Offline Signatures Using 3D Digital Microscopy and Its Utility in Determining Authorship

3D Mikroskop Kullanılarak Çevrimdışı Oluşturulmuş İmzalarda Fulaj Ölçümü ve Aidiyet Tespitinde Kullanılabilirliği

Dilara Öner Kaya¹, Gürsel Çetin²¹Independent Researcher, İstanbul, Turkey²İstanbul University-Cerrahpaşa, Cerrahpaşa Faculty of Medicine, Department of Forensic Medicine, İstanbul, Turkey

ABSTRACT

Objective: Two of the most frequently used diagnostic criteria in writing and signature comparisons are the degree of pen pressure and variations in pen pressure. However, in today's practice, this criterion is inferentially evaluated only by naked eye or using image enhancer tools. This situation may cause various results among examiners, and difficulties in judicial procedure in terms of forensic handwriting and signature examinations, which has already been criticized for subjectivity. In this study, it is aimed to measure the depth of the indented pen pressure numerically in offline signatures and to evaluate it more objectively compared to the classical methods.

Methods: Note that 10 male and 10 female subjects participated in this study. Subjects were asked to imitate the signature shown as an example on three different surfaces. This signature was imitated by the subjects three times on different surfaces via free-hand (practise and non practice). Depth measurements were taken from five different points on the signature using a Leica DVM-6 3D Digital Microscope and compared with the genuine signature.

Results: Statistically significant differences were reported at different confidence intervals in comparisons considering different combinations.

Conclusion: In conclusion, aside from similar depth of the indented pen pressure, persistence of dissimilarities in different comparison documents and at different points is an important criterion. It has been revealed that these differences are statistically significant.

Keywords: 3D digital microscope, genuine signature, simulation, pen pressure, none practiced free-hand, practiced free-hand

* A part of this study was presented as an oral presentation under the title "Pen Pressure Measurement in Signatures of Women and Men Using 3D Microscopes" at the 73rd American Academy of Forensic Science Congress, held on February 15-19, 2021.

* A part of this study was presented as an oral presentation under the title "Pen Pressure Measurement in Signatures Using the Surface Roughness Measurement Technique and Its Usability in Determining Authorship" at the 1st International 17th National Forensic Sciences Congress, held on 12-15 February 2020.

* A part of this study was presented as a poster presentation with the title "Surface Roughness Measurement Techniques Using Pen Pressure Measurement in Signatures and Usability for Determination of Identity" at the 72nd American Academy of Forensic Science Congress, held on 17-22 February 2020.



Address for Correspondence/Yazışma Adresi: Dilara Öner Kaya, Independent Researcher, İstanbul, Turkey

E-mail: drdilaraoner@gmail.com

ORCID ID: orcid.org/0000-0001-7478-3720

Received/Geliş tarihi: 25.03.2024

Accepted/Kabul tarihi: 20.05.2024

ÖZ

Amaç: Yazı ve imza karşılaştırmalarında en sık kullanılan tanı kriterlerinden biri de baskı derecesi ve baskı derecesi değişiklikleridir. Ancak günümüzde uygulamada bu kriter yalnızca göz ile veya görüntü iyileştirici aparatlar kullanılarak tahmini olarak değerlendirilmektedir. Bu durum, kişiden kişiye değerlendirme farklılıklarının çıkmasına neden olabilmekte ve zaten subjektifliği ile eleştirilen adli yazı ve imza incelemelerinde yargılamada sıkıntılara neden olabilmektedir. Bu çalışmada baskı derecesi derinliğinin offline olarak atılmış olan imzalarda nümerik olarak ölçümü ve daha klasik yöntemlere göre daha objektif olarak değerlendirilebilmesi amaçlanmıştır.

Yöntem: Çalışmaya 10 erkek ve 10 kadın denek katılmıştır. Deneklerden, örnek olarak gösterilen imza üç farklı zeminde taklit etmeleri istenmiştir. Bu imza denekler tarafından, her zeminde üçer defa çalışmadan önce ve çalıştıktan sonra taklit edilmiştir. İmzanın üzerinde belirlenen 5 farklı noktadan Leica DVM-6 3D mikroskop ile derinlik ölçümleri alınmış ve orijinal imza ile kıyaslanmıştır.

Bulgular: Farklı kombinasyonlar göz önüne alınarak yapılan karşılaştırmalarda, farklı güven aralıklarında istatistiksel olarak anlamlılık ifade edecek şekilde farklılıklar bulunmuştur.

Sonuç: Sonuç olarak kalem baskı derecesindeki benzerliğin yanı sıra farklı kişilerde, farklı noktalarda kalem baskı derecesinde görülen farklılıklar da önemli bir kriterdir. Bu farklılıklar t-testi uygulanarak incelenmiş ve istatistiksel olarak anlamlılı bulunmuştur.

Anahtar Kelimeler: 3D dijital mikroskop, orijinal imza, taklit, kalem basıncı, bakarak taklit, serbest taklit

INTRODUCTION

It has been discussed for years whether forensic handwriting and signature examinations, which is a specialty within the field of criminalistics sub-division of forensic sciences, provides scientific objectivity both in our country and worldwide. The most important factors in this regard are undoubtedly the high subjectivity due to eyeball examination and the lack of language unity in reporting results (1-5). In this context, using numerical data in forensic handwriting and signature examinations and numerical expression of the results are of great importance in terms of objectivity. It is important to consider the nature of human error as well. Almost all recent scientific studies are performed with this motivation (6-23).

One of the criteria used for determining the authorship in writing and signature examinations is indented writing pen pressure; in other words, the quality and depth of the marks left by the pen on the paper. Indented pen pressure and its depth vary according to degree of pen pressure applied by the writer and/or signer as well as velocity and the quality of the pen and the characteristics of the paper and surface (24,25). In almost all comparisons, depth of indented writing pen pressure, degree of pen pressure and variations in pen pressure were mentioned. This method is used as an indication of whether the document is signed by the same person. However, the fact that they do not show similarity is accepted as one of the indicators that the writings and signatures were not signed or written by the same person when the questioned and comparison documents are considered (26). However, in routine practice, the measurements of depth and variation of indented pen pressure are made either with the naked eye or with the help of some instruments such as magnifiers or Electro Static Detection Apparatus, and no numerical value is

expressed in the examinations made on the writings on the paper (27). Because this situation will lead to subjective results that can vary among experts, problems arise both scientifically and in its use in the judicial process in terms of reliability. Real-time pressure measurement is performed with writing and/or signatures collected using tablet or with special pens designated for this purpose (28-32). Li et al. (33) collected online signature samples generated on tablets from 13 female and 35 male subjects and then these signatures were imitated online by three document examiners. When the Pearson's correlation value of the pressure degrees of the genuine and simulated signatures was investigated, the correlation between the genuine signatures and one of the signatures was 0.95; however, the correlation between genuine and simulated signature was found to be 0.26. This study shows that regression analysis can be used to identify whether the signature is simulated or not. In the study by Mohammed et al. (32) conducted to determine how dynamic elements such as velocity, duration, size, jerk and pressure in online signature vary according to the style of signature and whether these dynamics are affected in the same manner in genuine and simulated signatures, and signatures written with intent to deny; it has been determined that text-based signatures are written using less pen pressure than stylized and mixed signatures. Furthermore, it has been determined that the genuine signatures were signed using more pen pressure than the signatures with intent of denial or forgery. In another study on online signature in which dynamic elements such as velocity, duration, size, jerk and pressure were compared between genuine and simulated signatures, pen pressure was more dominant in original signatures than simulated signatures, whereas natural signature style had an impact on simulated signatures. Furthermore, text-based simulated signatures were reported to have higher pressure

than simulated mixed and simulated stylized signatures (34). When the age-related changes in the degree of pressure were examined in 42 subjects including 24 men and 18 women in the signatures collected online; however, the degree of pressure decreased with increased age in men, no significant change was reported in women (35). Although some studies have begun to be carried out, there are almost no experimental studies on numerical pressure measurements of offline signatures. For example, in the 3D analysis study by Gould et al. (23), pressure was measured in microns and its advantages in examining intersecting lines were mentioned. There is a need for studies in this field regarding 3D microscopes that allow non-contact and therefore non-destructive measurement. No similar study was found in the literature research. This study aims to demonstrate the utility of microscopes that used to measure surface smoothness in indented writing impression examination, thus obtaining the values of indented writing examination with numerical measurement of surface smoothness technique in micrometer (μm) and to investigate whether these measurement values can be used in determining authorship.

MATERIALS AND METHODS

One of the authors (female) signed her signature three times on three different conditions (Figure 1). Blue colored ballpoint pen was used for the tests. In the first case, signatures were signed on an A4 size paper placed on a “file with clamps;” in the second




Figure 1. Genuine signature requested from the subjects to be imitated and measured points (The latter part of each signature has been intentionally blurred to protect the anonymity of the author)




Figure 2. Simulation of the author's signature on a surface by one of the participants none practiced free-hand (The latter part of each signature has been intentionally blurred to protect the anonymity of the author)

case, a unlined A4 size paper of the same type was placed under the paper on which the signatures were signed; and in the third case, two null papers of the same type were placed under the paper on which the signatures were signed. The author's signature will be referred to as the “genuine signature” in rest of the article. Images were taken at 300 \times magnification using a Leica DVM-6 microscope at specified points (the start, mid, end and turning points of the signature) on the signature samples (Figure 1), including the author's samples, and their 3D profiles were created for the examination. Marking was made from the two reciprocal sides of the line at the specified points with LAS X software integrated to the microscope used, and the numerical values and graphics were obtained by measuring the depth of 1845 points in micrometers (μm) in the distance between the two marker points. During the measurements, the maximum value given automatically by the software program was taken as the depth value at each point. Minitab was used for the statistical analysis where box plots were plotted. In this study, the relationship between the genuine and simulated signatures was analyzed using SPSS[®]25 with the independent sample t-test.

Simulated Signatures

Samples were collected by the free-hand method. Ten female and 10 male with university and high school graduates were asked to imitate the author's signature three times on these surfaces using the same brand of pen and paper. Participants firstly, looked at the original signature and imitated the signature without studying it (Figure 2). This will be referred to as the “None practiced free-hand (Npf-h)” in rest of the article.

In the second step for free-hand the same individuals were given 10 min for practicing the author's signatures, and again were asked to imitate three times on three different surfaces (Figure 3). This will be referred to as the “practiced free-hand (pf-h)” in rest of the article.

The depth of 1845 points was measured.

RESULTS

The study was performed on three different conditions, with signatures three times on each surface. Furthermore, the subjects were given 10 min to practice the signature, and then signatures were repeated three times on each surface. These




Figure 3. Simulation of the author's signature on a surface by one of the participants practiced free-hand (The latter part of each signature has been intentionally blurred to protect the anonymity of the author)

data were compared with the values at different points of the genuine signature, according to the surface, before and after practice. One of the experimental findings was given in Figure 4 as a representative of the depth results. As per Tables 1 and 2, a statistically significant difference was reported between the mean depth of 8 subjects (4 male and 4 female) at the first point, 5 subjects (3 male, 2 female) at the second point, 13 subjects (6 male and 7 female) at the third point, 7 subjects (2 male and 5 female) at the fourth point and 11 subjects (5 male and 6 female) at the fifth point and the mean depth of the genuine signature.

Tables 3 and 4 show the results of the comparison of genuine signatures with simulations by male and female subjects at different points npf-h and pf-h. A statistically significant difference was reported between the mean depth of 3 subjects (0 male and 3 female) at the first point, 4 subjects (3 male and 1 female) at the second point, 13 subjects (5 male and 8 female) at the third point, 4 subjects (1 male and 3 female) at the fourth point, 3 subjects (1 male and 2 female) at the fifth point in the simulations before practice and the mean depth of the genuine signature. There was a statistically significant difference between the mean depth of 9 subjects (6 males and 3 females) at the first point, 3 subjects (2 males and 1 females) at the second point, 10 subjects (4 males and 6 females) at the third point, 4 subjects (1 male and 3 females) at the fourth

point, 2 subjects (0 male and 2 female) at the fifth point in the simulations after practice and the mean depth of the genuine signature.

Tables 5 and 6 show the results of the comparison of the genuine signature with the simulations on different surfaces npf-h and pf-h. In the simulations via npf-h, the first and third points were the most noticeable on the first surface in women. A statistically significant difference was reported between the mean depth of 6 women at the $p < 0.05$ level at the first point,




Figure 4. One of the experimental findings as a representative of the depth results

Table 1. Point based evaluation of the simulated signatures by female subjects

N \ Point	1	2	3	4	5
F1	2.828 **	-0.609	1.323 *	2.384 **	2.072 **
F2	3.970 **	2.186 **	6.872 **	0.651	-0.114
F3	-7.151 **	-3.574 **	0.224	-0.783	-0.598
F4	0.073	-0.859	6.117 **	1.813 **	2.148 **
F5	1.538 *	-1.486 *	5.361 **	0.658	1.569 *
F6	1.009	-0.139	5.180 **	1.931 **	2.839 **
F7	2.032 **	1.024	4.290 **	2.925 **	1.682 *
F8	0.745	-0.900	3.668 **	3.289 **	0.312
F9	-0.430	-0.537	-1.013	0.943	0.201
F10	0.453	-1.424 *	3.510 **	0.850	2.728 **

** $p < 0.05$, * $p < 0.10$

Table 2. Point-based evaluation of the simulated signatures by male subjects

N \ Point	1	2	3	4	5
M1	0.426	0.888	5.248 **	2.656 **	2.450 **
M2	2.008 **	-0.430	2.893 **	0.184	0.652
M3	2.039 **	1.551 *	5.890 **	0.889	-0.459
M4	-1.494 *	-1.723 **	0.120	-1.889 **	-2.018 **
M5	0.121	-2.486 **	-0.748	0.476	1.689 *
M6	-0.139	0.346	0.843	-1.148	1.512 *
M7	-3.072 **	-1.644 *	1.020	-1.356 *	-0.183
M8	-0.401	0.125	6.286 **	0.191	-0.113
M9	-1.697 **	-2.050 **	2.220 **	-1.009	0.421
M10	0.866	1.156	6.311 **	1.613 *	1.689 *

** $p < 0.05$, * $p < 0.10$

Table 3. Comparison of the depths of the simulated signatures in female subjects before and after practice with genuine signatures

Before practice						After practice					
N \ Point	1	2	3	4	5	N \ Point	1	2	3	4	5
F1	3.458 **	-0.983	2.662 **	2.317 **	2.049 **	F1	1.055	0.489	-0.159	1.084	0.401
F2	3.712 **	2.158 *	4.143 **	0.606	-0.289	F2	1.917 **	0.952	5.464 **	0.340	0.141
F3	-4.110 **	-1.994 **	1.327	-0.687	0.007	F3	-6.192 **	-2.986 **	-0.744	-0.399	-0.800
F4	-0.206	-0.754	3.389 **	0.410	1.693 *	F4	0.545	-0.463	5.417 **	2.994 **	1.298
F5	1.158	-1.211	4.595 **	0.660	0.621	F5	0.964	-0.937	3.013 **	0.294	1.540 *
F6	0.476	-0.062	2.925 **	0.697	1.582 *	F6	0.921	-0.145	4.465 **	2.277 **	2.378 **
F7	0.031	0.526	2.038 **	2.329 **	0.739	F7	4.711 **	0.891	4.368 **	1.705 *	1.597 *
F8	0.605	0.251	1.874 **	2.124 **	-0.354	F8	0.422	1.390 *	3.319 **	2.475 **	1.003
F9	-0.861	1.398 *	-0.274	0.066	0.770	F9	-0.897	0.555	-1.204	1.360 *	-0.376
F10	0.124	-0.492	2.406 **	0.956	1.920 **	F10	0.535	-1.477 *	2.417 *	0.179	1.825 **

** p<0.05, * p<0.10

Table 4. Comparison of the depths of the simulated signatures in male subjects before and after practice with genuine signatures

Before practice						After practice					
N \ Point	1	2	3	4	5	N \ Point	1	2	3	4	5
M1	0.198	0.001	4.868 **	3.009 **	2.328 **	M1	0.415	1.255	2.795 **	1.024	1.160
M2	0.309	0.618	2.300 **	0.243	-0.223	M2	3.169 **	-1.178	1.685 *	0.046	1.188
M3	0.684	2.029 **	3.882 **	0.130	-0.244	M3	2.329 **	0.307	4.404 **	1.420 *	-0.375
M4	0.052	-1.627 *	-0.118	-0.434	-1.119	M4	-2.110 **	-0.764	0.326	-2.194 **	-1.672 *
M5	-0.082	-2.189 **	-1.082	0.758	1.048	M5	0.291	-1.285	0.002	-0.032	1.275
M6	0.209	2.366 **	0.240	-0.959	1.618 *	M6	-0.400	-0.885	0.996	-0.680	0.511
M7	-1.389 *	0.711	0.673	-0.559	1.131	M7	-3.039 **	2.302 **	0.739	-1.286	-1.051
M8	-0.705	0.357	5.341 **	0.020	-0.126	M8	-0.001	-0.085	3.622 **	0.345	-0.023
M9	-0.618	-0.644	1.342 *	-0.199	0.195	M9	-1.826 **	-2.196 **	1.710 *	-1.175	0.406
M10	-0.647	0.546	3.351 **	0.680	2.157 *	M10	2.098 **	1.047	6.009 **	1.672 *	0.500

** p<0.01, * p<0.05

4 women at the $p<0.05$ level and 7 women at the $p<0.10$ level at the second point and the mean depth of the genuine signature. In the simulations made after practicing, the third point was the most noticeable on the first surface in men. At the third point, a statistically significant difference was reported between the mean depth of 5 men and the mean depth of the genuine signature. In the simulations made without practicing, second and third points were the most noticeable on the second surface in women. A statistically significant difference was found between the mean depth of 4 women at the $p<0.05$ level, 6 women at the $p<0.10$ level at the second point and 6 women at the $p<0.10$ level at the third point and the mean depth of the genuine signature.

In the simulations via npf-h, the second, third and fourth points were the most prominent on the second surface in men. A statistically significant difference was found between the mean depth of 4 men at the $p<0.05$ level and 5 men at the $p<0.10$

level at the second point, 2 men at the $p<0.05$ level, 4 men at the $p<0.10$ level at the third point, and 3 men at the $p<0.05$ level, 4 men at the $p<0.10$ level at the fourth point and the mean depth of the genuine signature. In the simulations made npf-h, the second and third points were the most noticeable on the third surface in women. A statistically significant difference was found between the mean depth of 3 women at the $p<0.05$ level at the second point, 1 woman at the level of <0.05 and 4 women at $p<0.10$ level at the third point and the mean depth of the genuine signature. In the simulations made npf-h, the second and third points were the most noticeable on the second surface in men. A statistically significant difference was found between the mean depth of 3 men at $p<0.05$ level, 4 men at $p<0.10$ level at the second point and 4 men at $p<0.05$ level, 6 men at $p<0.10$ at third point and the mean depth of the genuine signature.

Table 5. Comparison of the depth of simulated signatures in women before and after practice on different surfaces and at different points with the original signatures

Before practice							After practice						
N	Point	1	2	3	4	5	N	Point	1	2	3	4	5
		F1	1 st Surf.	3.906 **	0.006	2.098 *			1.217	1.418	F1	1 st Surf.	0.688
	2 nd Surf.	4.472 **	-1.079	1.570 *	1.880 *	1.084		2 nd Surf.	-0.117	-1.783 *	0.657	3.423 **	1.391
	3 th Surf.	0.773	-0.191	0.658	0.357	0.696		3 th Surf.	1.156	0.686	-0.795	1.160	-0.461
F2	1 st Surf.	4.099 **	1.039	2.724 **	0.280	0.176	F2	1 st Surf.	4.541 **	1.029	3.121 **	-0.502	0.159
	2 nd Surf.	1.705 *	-0.283	1.864 *	-1.506	-0.263		2 nd Surf.	0.635	-2.083 *	2.164 **	-0.146	-0.301
	3 th Surf.	1.364	5.366 **	1.835 *	1.045	-0.626		3 th Surf.	0.687	4.816 **	4.412 **	1.660 *	0.456
F3	1 st Surf.	-2.193 **	-0.072	1.791 *	-1.021	0.927	F3	1 st Surf.	-7.406 **	-1.540 *	1.054	-0.372	0.713
	2 nd Surf.	-2.671 **	-3.416 **	0.321	0.725	-0.082		2 nd Surf.	-4.557 **	-7.605 **	-0.805	-0.686	-0.166
	3 th Surf.	-2.044 *	-0.781	0.183	0.018	-1.347		3 th Surf.	-2.545 **	-0.153	-1.230	0.349	-2.068 *
F4	1 st Surf.	0.192	-0.304	1.610 *	-0.767	1.205	F4	1 st Surf.	1.444	0.555	3.210 **	1.883 *	0.305
	2 nd Surf.	0.990	-1.470	2.013 *	0.261	0.903		2 nd Surf.	-0.277	-2.818 **	2.275 **	5.993 **	1.566 *
	3 th Surf.	-0.715	0.403	1.818 *	1.972 *	0.410		3 th Surf.	0.151	2.025 *	3.066 **	1.044	0.970
F5	1 st Surf.	2.512 **	-0.352	3.312 **	0.080	0.479	F5	1 st Surf.	0.936	0.718	1.798 *	-0.168	1.216
	2 nd Surf.	1.381	-2.036 *	2.135 *	0.495	-0.002		2 nd Surf.	0.388	-1.477	0.817	1.019	1.095
	3 th Surf.	-0.361	-0.061	1.869 *	0.525	0.622		3 th Surf.	0.454	-1.465	2.708 **	-0.165	0.043
F6	1 st Surf.	0.759	-0.369	2.456 **	-0.650	0.608	F6	1 st Surf.	4.470 **	-0.007	3.213 **	1.098	1.813 *
	2 nd Surf.	-0.225	0.086	1.718 *	5.372 **	1.120		2 nd Surf.	0.318	-2.316 **	3.071 **	3.796 **	1.543 *
	3 th Surf.	0.421	0.663	0.595	0.755	0.943		3 th Surf.	-0.075	1.937 *	1.530	0.754	0.269
F7	1 st Surf.	0.117	0.474	0.586	1.674 *	0.551	F7	1 st Surf.	4.048 **	0.461	2.594 **	-0.118	1.824 *
	2 nd Surf.	-1.866 *	-1.534 *	0.824	1.430	-0.092		2 nd Surf.	3.453 **	-1.026	1.720 *	3.586 **	1.071
	3 th Surf.	0.862	4.448 **	2.616 **	1.080	1.088		3 th Surf.	1.667 *	2.108 *	2.830 **	1.593 *	-0.413
F8	1 st Surf.	3.016 **	0.592	0.918	1.226	0.859	F8	1 st Surf.	1.016	-0.304	2.797 **	1.207	0.800
	2 nd Surf.	-0.940	-2.182 **	1.305	5.079 **	-0.067		2 nd Surf.	0.111	-2.761 **	1.494	1.989 *	1.054
	3 th Surf.	0.082	1.032	0.646	0.414	-2.046 *		3 th Surf.	-0.16	-1.178	1.234	1.229	-0.461
F9	1 st Surf.	2.699 **	-1.238	0.623	-0.872	1.023	F9	1 st Surf.	2.062 *	0.405	0.395	0.588	0.938
	2 nd Surf.	-1.402	-2.787 **	-1.916 *	0.602	0.358		2 nd Surf.	-0.643	-0.789	-1.096	8.246 **	-0.125
	3 th Surf.	-1.244	0.232	0.482	0.470	-0.368		3 th Surf.	0.408	2.518 **	-1.583 *	0.483	-2.164 **
F10	1 st Surf.	0.041	0.341	2.933 **	-0.341	1.491	F10	1 st Surf.	1.007	0.294	2.770 **	0.056	1.331
	2 nd Surf.	0.129	-2.385 **	0.593	0.565	0.754		2 nd Surf.	-0.316	-2.388 **	1.231	0.525	1.171
	3 th Surf.	0.054	2.133 **	1.305	1.283	0.846		3 th Surf.	0.249	-0.084	0.598	-0.018	0.219

** p<0.01, * p<0.05

In the simulations via npf-h, the third point was the most noticeable on the first surface in women. At the third point, a statistically significant difference was found between the mean depth of six women at the $p<0.05$ level and seven women at the $p<0.10$ level and the mean depth of the genuine signature. In the simulations made after practicing, the third point was the most noticeable on the first surface in men. At the third point, a statistically significant difference was found between the mean depth of four men at the $p<0.05$ level and five men at the $p<0.10$ level and the mean depth of the genuine signature.

In the simulations made after practicing, the second and the fourth points were the most noticeable on the second surface in women. A statistically significant difference was found between mean depth of five women at the $p<0.05$ level, seven women at the $p<0.10$ level at the second point, five women at the $p<0.05$ level, six women at the $p<0.10$ level at the fourth point and the mean depth of the genuine signature.

In the simulations via pf-h, the second and third points were the most noticeable on the second surface in men. A statistically significant difference was reported between the

Table 6. Comparison of the depth of simulated signatures in women before and after practice on different surfaces and at different points with the original signatures

Before practice							After practice						
N	Point	1	2	3	4	5	N	Point	1	2	3	4	5
M1	1 st Surf.	3.547 **	0.912	3.074 **	1.447	2.010 *	M1	1 st Surf.	0.848	1.237	3.830 **	0.857	1.682 *
	2 nd Surf.	-0.040	-2.956 **	2.453 **	5.335 **	0.854		2 nd Surf.	1.680 *	0.210	1.129	2.869 **	0.130
	3 th Surf.	-1.012	1.672 *	2.141 **	1.105	0.948		3 th Surf.	-0.554	0.815	0.684	-0.011	0.171
M2	1 st Surf.	1.491	0.735	-0.297	0.424	0.531	M2	1 st Surf.	2.747 **	-0.534	0.933	-0.435	1.687 *
	2 nd Surf.	-0.831	-0.334	1.980 *	0.246	-1.189		2 nd Surf.	1.822 *	-3.223 **	2.064 *	-0.540	0.079
	3 th Surf.	0.587	1.139	6.125 **	-0.237	0.171		3 th Surf.	1.609 *	0.441	0.178	1.365	0.429
M3	1 st Surf.	-0.492	2.093 *	2.191 **	0.604	1.036	M3	1 st Surf.	2.014 *	1.225	3.026 **	0.538	0.488
	2 nd Surf.	-0.75	-0.732	1.858 *	-0.311	-0.241		2 nd Surf.	0.635	-0.522	1.742 *	0.451	-1.443
	3 th Surf.	1.401	3.730 **	2.064 *	0.204	-1.960 *		3 th Surf.	1.398	-0.218	2.685 **	1.217	-0.084
M4	1 st Surf.	-0.020	0.637	-0.227	0.634	0.385	M4	1 st Surf.	-0.694	-0.438	0.024	-2.519 **	-0.099
	2 nd Surf.	0.132	-5.380 **	-0.846	-2.285 **	-0.516		2 nd Surf.	-2.014 *	-1.106	1.190	-0.439	-0.747
	3 th Surf.	0.017	-1.082	1.296	-0.429	-2.260 **		3 th Surf.	-0.593	0.315	-1.156	-0.853	-2.347 **
M5	1 st Surf.	0.419	0.547	1.031	0.829	0.529	M5	1 st Surf.	-0.244	-1.216	-0.512	0.186	0.884
	2 nd Surf.	0.398	-3.365 **	-0.479	0.532	1.116		2 nd Surf.	-0.952	-2.910 **	0.725	-2.172 **	0.643
	3 th Surf.	-0.603	-1.471	-1.744 *	0.003	-0.050		3 th Surf.	1.217	2.500 **	-0.211	1.122	0.477
M6	1 st Surf.	-0.311	1.655 *	2.619 **	-0.132	1.280	M6	1 st Surf.	-0.007	0.713	1.142	0.556	0.309
	2 nd Surf.	-2.026 *	-0.093	-0.598	-9.063 **	0.696		2 nd Surf.	-0.915	-1.369	0.793	0.039	0.583
	3 th Surf.	1.071	3.986 **	-0.912	-0.144	0.526		3 th Surf.	-0.027	-1.841 *	-0.151	-1.475	-0.233
M7	1 st Surf.	-0.726	1.115	0.761	-0.483	1.216	M7	1 st Surf.	-3.660 **	-1.215	0.190	-1.853 *	-0.587
	2 nd Surf.	-5.698 **	-1.084	0.226	-1.231	0.845		2 nd Surf.	-2.387 **	-3.921 **	0.236	0.064	-0.157
	3 th Surf.	0.531	1.421	0.052	0.335	-0.391		3 th Surf.	-0.994	-1.569 *	0.785	-0.332	-1.009
M8	1 st Surf.	2.074 *	1.438	4.108 **	0.373	1.813 *	M8	1 st Surf.	4.661 **	2.166 **	1.860 *	0.873	1.403
	2 nd Surf.	-1.092	-1.843 *	2.061 *	1.873 *	-0.263		2 nd Surf.	-1.012	-1.625 *	1.608 *	-0.566	-0.375
	3 th Surf.	-0.474	0.812	2.765 **	-0.471	-1.275		3 th Surf.	0.209	-0.189	2.430 **	0.330	-0.749
M9	1 st Surf.	1.634 *	1.807 *	2.213 **	0.770	1.752 *	M9	1 st Surf.	0.228	0.286	3.964 **	-0.617	1.032
	2 nd Surf.	-3.854 *	-3.335 **	0.159	-0.487	-0.720		2 nd Surf.	-1.398	-1.766 *	0.855	0.405	0.710
	3 th Surf.	0.101	0.821	0.325	-0.468	-0.756		3 th Surf.	-2.215 *	-2.531 **	-0.712	-1.215	-1.886 *
M10	1 st Surf.	1.251	-0.365	1.485	-0.481	1.185	M10	1 st Surf.	0.537	0.331	3.257 **	0.024	1.280
	2 nd Surf.	-1.036	-0.518	1.182	0.351	1.457		2 nd Surf.	2.060 *	-2.345 **	2.301 **	4.252 **	1.138
	3 th Surf.	-0.795	2.322 **	3.593 **	1.456	0.834		3 th Surf.	1.290	3.753 **	4.911 **	1.079	-1.328

** p<0.01, * p<0.05

mean depth of four men at the $p<0.05$ level, six men at the $p<0.10$ level at the second point, two men at the $p<0.05$ level, four men at the $p<0.10$ level at the third point and the mean depth of the genuine signature. In the simulations via pf-h, the second and fourth points were the most noticeable on the third surface in women. A statistically significant difference was found between the mean depth of two women at the $p<0.05$ level, five women at the $p<0.10$ level at the second point, four women at the $p<0.05$ level, five women at the $p<0.10$ level at the third point and the mean depth of the genuine signature.

In the simulations via pf-h, the second and third points were the most noticeable on the third surface in men. A statistically significant difference was reported between the mean depth of 3 men at the $p<0.05$ level, 5 men at the $p<0.10$ level at the second point, 3 men at the $p<0.05$ level at the third point and the mean depth of the genuine signature. In Table 7, the comparisons between the mean depth values of all simulated signatures before and after practice and the mean depth of the genuine signature are shown regardless of the surface and point difference. Accordingly, in female subjects, the mean

depths of simulated signatures of 8 subjects were reported to be statistically significantly different compared to that of the genuine signature. In male subjects, mean depth of three subjects and five subjects at the $p < 0.05$ level were reported to be statistically significantly different than those of the genuine signature.

In Table 8, there are comparisons between the mean depth values of all simulated signatures on three different surfaces npf-h and pf-h and the mean depth of the genuine signature, regardless of the surface and point difference. Accordingly, the mean depths of three subjects (1 male and 2 female) at the $p < 0.01$ level and nine subjects (3 male and 6 female) at the $p < 0.05$ level were found to be statistically significantly different in the simulated signatures signed before practice. In addition, the mean depths of nine subjects (4 males and 5 females) at the $p < 0.01$ level and 12 subjects (5 males and 7 females) at the

$p < 0.05$ level were reported to be statistically significant in the simulated signatures signed after practice.

In Table 9, the comparison of the simulated signatures made by male and female subjects on different surface npf-h and pf-h with the genuine signature depth is given. Accordingly, the mean depth of the simulated signatures signed without practicing belonging to 10 subjects (5 males and 5 females) on the first surface, 5 subjects (3 males and 2 females) on the second surface and 4 subjects (1 male and 3 females) on the third surface were found to be statistically significantly different than that of the genuine signature. The mean depths of the simulated signatures signed after practicing belonging to 11 subjects (5 males and 6 females) on the first surface, 4 subjects (1 male and 3 females) on the second surface, 7 subjects (3 males and 4 females) on the third surface were statistically significant compared to the that of genuine signature.

Table 7. Comparison of the mean depth values of the simulated signatures none practiced free-hand and practiced free-hand and the mean depth of the genuine signature regardless of the surface and point difference

N	t-value	Person	t-value
F1	2.717**	M1	4.851**
F2	4.526**	M2	2.347*
F3	-3.688**	M3	3.640**
F4	3.710**	M4	-2.526*
F5	2.714**	M5	-0.643
F6	4.415**	M6	0.409
F7	4.764**	M7	-1.877
F8	3.009**	M8	1.766
F9	-0.403	M9	-1.019
F10	2.546*	M10	4.765**

** $p < 0.01$, * $p < 0.05$

Table 8. Comparison of the mean depth values of the simulated signatures on 3 different surfaces none practiced free-hand and practiced free-hand and the mean depth of the genuine signature regardless of the surface and point difference

None practiced free-hand		Practiced free-hand		None practiced free-hand		Practiced free-hand	
N	t-value	N	t-value	N	t-value	N	t-value
F1	2.914**	F1	1.036	M1	4.073**	M1	2.817**
F2	3.391**	F2	2.980**	M2	1.698	M2	1.607
F3	-1.739	F3	-3.413**	M3	2.058*	M3	3.117**
F4	1.720	F4	3.748**	M4	-1.216	M4	-2.367*
F5	2.329*	F5	1.563*	M5	-0.933	M5	0.092
F6	2.193*	F6	4.202**	M6	0.911	M6	-0.340
F7	2.281*	F7	4.647**	M7	0.307	M7	-2.834**
F8	1.813	F8	2.459*	M8	1.265	M8	1.220
F9	-0.670	F9	0.100	M9	0.016	M9	-1.435
F10	2.403*	F10	1.539	M10	2.548*	M10	4.253**

** $p < 0.01$, * $p < 0.05$

Table 9. Comparison of signatures simulated none practiced free-hand and practiced free-hand on different surfaces with genuine signature

None practiced free-hand						Practiced free-hand					
N	Surface	t-value	Person	Surface	t-value	N	Surface	t-value	N	Surface	t-value
F1	1 st Surf.	2.784 **	M1	1 st Surf.	4.056 **	F1	1 st Surf.	0.411	M1	1 st Surf.	3.541 **
	2 nd Surf.	1.297		2 nd Surf.	1.727 **		2 nd Surf.	1.115		2 nd Surf.	1.560 *
	3 th Surf.	1.112		3 th Surf.	1.449 *		3 th Surf.	0.375		3 th Surf.	0.237
F2	1 st Surf.	2.373 **	M2	1 st Surf.	0.695	F2	1 st Surf.	1.414 *	M2	1 st Surf.	0.894
	2 nd Surf.	0.946		2 nd Surf.	0.343		2 nd Surf.	0.459		2 nd Surf.	0.416
	3 th Surf.	2.630 **		3 th Surf.	1.193		3 th Surf.	3.804 **		3 th Surf.	1.410 *
F3	1 st Surf.	0.132	M3	1 st Surf.	2.112 **	F3	1 st Surf.	-0.857	M3	1 st Surf.	2.512 **
	2 nd Surf.	-1.823 **		2 nd Surf.	0.221		2 nd Surf.	-2.915 **		2 nd Surf.	0.670
	3 th Surf.	-1.352 *		3 th Surf.	1.520 *		3 th Surf.	-1.974 **		3 th Surf.	2.395 **
F4	1 st Surf.	0.492	M4	1 st Surf.	0.372	F4	1 st Surf.	2.569 **	M4	1 st Surf.	-1.364 *
	2 nd Surf.	1.472 *		2 nd Surf.	-1.785 **		2 nd Surf.	1.257		2 nd Surf.	-1.115
	3 th Surf.	1.081		3 th Surf.	-0.946		3 th Surf.	2.621 **		3 th Surf.	-1.603 *
F5	1 st Surf.	2.153 **	M5	1 st Surf.	1.319 *	F5	1 st Surf.	1.793 **	M5	1 st Surf.	-0.198
	2 nd Surf.	0.835		2 nd Surf.	-0.924		2 nd Surf.	1.204		2 nd Surf.	-0.958
	3 th Surf.	1.012		3 th Surf.	-1.592 *		3 th Surf.	0.085		3 th Surf.	1.162
F6	1 st Surf.	0.587	M6	1 st Surf.	1.922 **	F6	1 st Surf.	3.239 **	M6	1 st Surf.	1.074
	2 nd Surf.	2.131 **		2 nd Surf.	-0.729		2 nd Surf.	2.714 **		2 nd Surf.	-0.053
	3 th Surf.	1.209		3 th Surf.	0.728		3 th Surf.	1.387 *		3 th Surf.	-1.419 *
F7	1 st Surf.	1.303	M7	1 st Surf.	0.810	F7	1 st Surf.	2.496 **	M7	1 st Surf.	-2.179 **
	2 nd Surf.	-0.216		2 nd Surf.	-0.807		2 nd Surf.	2.306 **		2 nd Surf.	-1.131
	3 th Surf.	3.041 **		3 th Surf.	0.542		3 th Surf.	3.138 **		3 th Surf.	-1.642 *
F8	1 st Surf.	1.938 **	M8	1 st Surf.	3.325 **	F8	1 st Surf.	2.108 **	M8	1 st Surf.	3.137 **
	2 nd Surf.	1.033		2 nd Surf.	0.270		2 nd Surf.	1.439 *		2 nd Surf.	-0.992
	3 th Surf.	0.198		3 th Surf.	-0.283		3 th Surf.	0.731		3 th Surf.	0.717
F9	1 st Surf.	0.372	M9	1 st Surf.	3.214 **	F9	1 st Surf.	1.272	M9	1 st Surf.	1.625 *
	2 nd Surf.	-1.115		2 nd Surf.	-2.429 **		2 nd Surf.	-0.577		2 nd Surf.	-0.577
	3 th Surf.	-0.255		3 th Surf.	-0.236		3 th Surf.	-0.322		3 th Surf.	-3.280 **
F10	1 st Surf.	1.746	M10	1 st Surf.	1.005	F10	1 st Surf.	2.152 **	M10	1 st Surf.	2.163 **
	2 nd Surf.	0.132		2 nd Surf.	0.902		2 nd Surf.	0.158		2 nd Surf.	2.551 **
	3 th Surf.	1.730		3 th Surf.	2.583 **		3 th Surf.	0.502		3 th Surf.	2.569 **

** p<0.01, * p<0.05

DISCUSSION

Signatures generated online seem advantageous in terms of simultaneous detection of dynamic properties such as speed, size, degree of pressure, fluency and duration. However, despite the increase in digitalization, offline handwriting and signature examinations are still very common due to the use of paper. Our findings show that when the depths of the pen stroke due to pen pressure of the simulated signature for each point were compared with the genuine signature regardless of the difference depending on the surface conditions and npf-h and pf-h, in fact, significant differences occur at $p<0.05$ and

$p<0.01$ level at each point, which can be used in diagnosis. In our opinion, these findings show that depth of the indented pen pressure can be used in diagnosis. At the third point, it was determined that this difference reached its maximum, and the mean depth of 13 subjects at $p<0.05$ level and 14 subjects at $p<0.01$ level were reported to be statistically significantly different than those of the genuine signature (Figure 1, Tables 1-2). The reason for seeing such a difference at the third point needs to be further investigated. The peculiarity of the point here is that it coincides at the middle of the signature with a sharp turn. Therefore, it is possible that the pressure exerted

could be the lowest at this location. For this point, it can be thought that different degrees of pressure are applied by different individuals while creating curls. When the depths of the signatures simulated npf-h and pf-h were compared with the genuine signatures for each point regardless of the surface types, it cannot be said that the depths of the simulations made after practicing are closer to the genuine signature, provided that they are the same at five points. Due to its short duration, practicing did not contribute to the subjects, on the contrary, it had a negative effect. There should be a longer practice time for free-hand simulation. The subject must thoroughly memorize the signature and then sign it in an automated manner. It has also been revealed here that this cannot be achieved with short-term studies. Undoubtedly, the surface becomes important when examining an offline signature in terms of determination of the authorship. One of the biggest disadvantages in forensic writing and signature examinations is that it may not be known on what surface the signature under examination was made. For this reason, it is important to take the comparison samples on different surfaces as much as possible, if the numerical depth differences are to be used in the comparison as was carried out in this study. Our findings show that the mean depth of the simulated signatures are statistically significantly less or higher than the genuine signature for different points, also for simulations made on different surfaces. Therefore, it would be reliable to consider negative findings rather than positive findings in the examination of simulations made with comparison samples taken on different surfaces to determine authorship. When the mean depth values of all simulation signatures of the subjects npf-h and pf-h were compared with the mean depth of the genuine signature regardless of the surface and the point, the mean depth of 8 subjects in females, 3 subjects in males at the $p < 0.01$ level, and 9 females and 5 males at $p < 0.05$ level were found to be statistically significantly lower or higher than the genuine signature. The number of subjects with differences is quite high. The significance value ($p < 0.01$) is quite high, so it would be appropriate to use it in determining the authorship. Regardless of the surface and the point, the comparison of the mean depth values of all simulated signatures npf-h and pf-h to those of the genuine signature revealed a difference in 3 subjects at the $p < 0.01$ level in simulated signatures via npf-h, and in 9 subjects in simulated signatures via pf-h. In the signatures via practiced free hand, it is again encountered that there are differences in more subjects. As a matter of fact, a difference at the level of $p < 0.05$ was found in 9 subjects for signatures simulated npf-h, and in 12 subjects pf-h. Regardless of the point difference, when the mean depth values of the simulated signatures made on three different surfaces npf-h and pf-h and the mean depth of the genuine signature were compared, a statistically significant difference was found in a significant number of subjects, which is a very important

finding. These differences remained high in all three surfaces. As a matter of fact, in the simulations npf-h, the depth values of 10 subjects (5 females, 5 males) at $p < 0.05$ level, 11 subjects (5 females, 6 males) at the $p < 0.10$ level on the first surface, 5 subjects at $p < 0.05$ (2 females, 3 males), 6 subjects (3 females, 3 males) at $p < 0.10$ level on the second surface, 4 subjects (3 females, 1 males) at 95% confidence interval and 8 subjects (4 female, 4 male) at 90% confidence interval on the third surface differ statistically from the genuine signature. In the simulations pf-h, the depth values of 11 subjects (6 females, 5 males) at the $p < 0.05$ level, 14 subjects (7 females, 7 males) at the $p < 0.10$ on the first surface, 4 subjects at the $p < 0.05$ level (3 female, 1 male), 6 subjects (4 females, 2 males) at $p < 0.10$ level on the second surface, 7 subjects (4 females, 3 males) at $p < 0.05$ level, and 12 subjects at $p < 0.10$ level (5 females, 7 males) on the third surface differ with the genuine signature.

CONCLUSION

The depth of pen pressure of any signature is important. It needs to be determined in detail because it has the potential to reveal whether it is forgery or not. However, the depth is not a constant variable, unfortunately it has the potential to vary depending on the condition such as the hardness of the surface. Pen pressure is one of the criteria used in discriminating genuine from simulated signatures. It should be evaluated together with other criteria and a decision should be made accordingly. In conclusion, aside from similar depth of the indented pen pressure, persistence of dissimilarities in different comparison documents and at different points is an important criterion. It has been revealed that these differences are statistically significant. When comparing the depth of the indented pen pressure, it is better to use numerical values (quantitatively) as in this study, not eyeball estimate (qualitatively). It should be noted that the degree of pen pressure is one of the diagnostic criteria used in Forensic Handwriting and Signature Examinations and should be accompanied by other criteria when considering inclusion or exclusion.

Acknowledgement

We would like to thank Leica Istanbul, for contribution and technical support. We would like to thank Assoc. Prof. Dr. Ibrahim DEMIR and Assoc. Prof. Dr. Derya DISPINAR for contribution and statistical calculation in this paper.

ETHICS

Ethics Committee Approval: Approval for the current study was granted by the Istanbul University, Social and Human Sciences Ethics Committee (approval no: 13/11/2019-257799).

Authorship Contributions

Concept: G.Ç., Design: G.Ç., Data Collection or Processing: D.Ö.K., Analysis or Interpretation: D.Ö.K., G.Ç., Literature Search: D.Ö.K., Writing: D.Ö.K., G.Ç.

Conflict of Interest: The authors declare that there is no conflict of interest.

Financial Disclosure: No financial support has been taken.

REFERENCES

- Gianelli PC. The Supreme Court's Criminal Daubert Cases. *Seton Hall L. R.* 2002;33:1071. <https://scholarship.shu.edu/cgi/viewcontent.cgi?article=1293&context=shlr>
- Jarman KH, Hanlen RC, Manzolillo PA. Handwriting examination: Moving from Art to Science. Pacific Northwest National Lab.(PNNL), Richland, WA (United States); 1999. <https://doi.org/10.2172/15001462>
- Sulner A. Critical Issues Affecting the Reliability and Admissibility of Handwriting Identification Opinion Evidence-How They Have Been Addressed (or Not) Since the 2009 NAS Report, and How They Should Be Addressed Going Forward: A Document Examiner Tells All. *Seton Hall L. R.* 2017;48:631. https://papers.ssrn.com/sol3/papers.cfm?abstract_id=3062250#paper-citations-widget
- Best practice manual for the forensic examination of handwriting. ENFSIBPM-FHX- 01, Version 02, June 2018.
- Committee on Identifying the Needs of the Forensic Sciences Community, National Research Council. Strengthening forensic science in the United States: a path forward. Washington, DC: National Academies Press, 2009.
- Vastrick TW, Schuetzner E, Osborn K. Measuring the Frequency Occurrence of Handwritten Numeral Characteristics. *J Forensic Sci.* 2018;63(4):1215-1220. <https://doi.org/10.1111/1556-4029.13678>
- Xu Z, Srihari SN. Bayesian network structure learning and Inference Methods for Handwriting, Proceeding of 12th International Conference on Document Analysis and Recognition 2013;1320-1324:Washington, DC. <https://doi.org/10.1109/ICDAR.2013.267>
- Davis LJ, Saunders CP, Hepler A, Buscaglia J. Using subsampling to estimate the strength of handwriting evidence via score-based likelihood ratios. *Forensic Sci Int.* 2012;216:146-157. <https://doi.org/10.1016/j.forsciint.2011.09.013>
- Bozza S, Taroni F, Marquis R, Schmittbuhl M. Probabilistic evaluation of handwriting evidence: likelihood ratio for authorship. *Journal of the Royal Statistical Society.* 2008;57:329-341. <https://doi.org/10.1111/j.1467-9876.2007.00616.x>
- Bennour A, Djeddi C, Gattal A, Siddiqi I, Mekhaznia T. Handwriting based writer recognition using implicit shape codebook. *Forensic Sci Int.* 2019;301:91-100. <https://doi.org/10.1016/j.forsciint.2019.05.014>
- Chen XH, Champod C, Yang X, Shi SP, Luo YW, Wang N, et al. Assessment of signature handwriting evidence via score-based likelihood ratio based on comparative measurement of relevant dynamic features. *Int J of For Sci.* 2018;282:101-110. <https://doi.org/10.1016/j.forsciint.2017.11.022>
- Agius A, Morelato M, Moret S, Chadwick S, Jones K, Epple R, et al. Using handwriting to infer a writer's country of origin for forensic intelligence purposes. *Int J of For Sci.* 2018;282:144-156. <https://doi.org/10.1016/j.forsciint.2017.11.028>
- Johnson ME, Vastrick TW, Boulanger M, Schuetzner E. Measuring the frequency occurrence of handwriting and handprinting characteristics. *J Forensic Sci.* 2017;62(1):142-163. <https://doi.org/10.1111/1556-4029.13248>
- Srihari SN, Huang C, Srinivasan H. On the discriminability of the handwriting of twins, *J Forensic Sci.* 2008;53:430-446. <https://doi.org/10.1111/j.1556-4029.2008.00682.x>
- Hepler AB, Saunders CP, Davis LJ, Buscaglia J. Score-based likelihood ratios for handwriting evidence, *Forensic Sci Int.* 2012;219:129-140. <https://doi.org/10.1016/j.forsciint.2011.12.009>
- Srihari SN. Computational methods for handwritten questioned document examination. *NIJ Report.* 232745, 2010, Award Number: 2004-IJ-CX-K050.
- Marquis R, Bozza S, Schmittbuhl M, Taroni F. Handwriting evidence evaluation based on the shape of characters: application of multivariate likelihood ratios. *J Forensic Sci.* 2011;56(Suppl 1):S238-S242. <https://doi.org/10.1111/j.1556-4029.2010.01602.x>
- Biedermann A, Voisard R, Taroni F. Learning about Bayesian networks for forensic interpretation: An example based on the problem of multiple propositions. *Sci Justice.* 2012;52(3):191-198. <https://doi.org/10.1016/j.scijus.2012.05.004>
- Taroni F, Marquis R, Schmittbuhl M, Biedermann A, Thiery A, Bozza S. The use of the likelihood ratio for evaluative and investigative purposes in comparative forensic handwriting examination, *Forensic Sci Int.* 2012;214(1-3):189-194. <https://doi.org/10.1016/j.forsciint.2011.08.007>
- Marquis R, Schmittbuhl M, Mazzella WD, Taroni F. Quantification of the shape of handwritten characters: a step to objective discrimination between writers based on the study of the capital character O, *Forensic Sci Int.* 2005;150(1):23-32. <https://doi.org/10.1016/j.forsciint.2004.06.028>
- Srihari SN, Singer K. Role of automation in the examination of hand written items. *Pattern Recognition.* 2014;47(3):1083-1095. <https://doi.org/10.1016/j.patcog.2013.09.032>
- Tang Y, Srihari SN. Likelihood ratio estimation in forensic identification using similarity and rarity. *Pattern Recognition.* 2014;47:945-958. <https://doi.org/10.1016/j.patcog.2013.07.014>
- Gould J, Clement S, Crouch B, King RS. Evaluation of photometric stereo and elastomeric sensor imaging for the non-destructive 3D analysis of questioned documents—A pilot study. *Sci Justice.* 2023;63(4):456-467. <https://doi.org/10.1016/j.scijus.2023.04.016>
- Aşcıoğlu F. Differences in writing and signature due to changing conditions and factors. Aşcıoğlu F ed. *Handwriting and signature examinations in forensic sciences.* İstanbul, Öner Print, 2007;33-45 (Turkish translate).
- Birincioğlu İ, Kurtuş Ö, Çakır İ, Turan N. "The Concept of Impression in Handwriting Analysis", 6th Anatolian Forensic Sciences Congress, 6-9 Sep. 2007 Manisa, Proceeding, Celal Bayar University Matbaası, Manisa 2007, pp. 125-129. (Turkish translate).
- Kurtuş Ö. Basic definitions and rules in handwriting (elements of handwriting diagnosis). Aşcıoğlu F, ed. *Handwriting and signature examinations in forensic sciences.* İstanbul, Öner Print, 2007;33-45. (Turkish translate).
- Çakır İ. Working principles and practical use of devices used in the field of forensic document examination. Aşcıoğlu F, ed. *Handwriting and signature examinations in forensic sciences.* İstanbul, Öner Print, 2007;46-68 (Turkish translate).
- Shanteau J, Stewart TR. Why study expert decision making? Some historical perspectives and comments. *Organizational Behavior and Human Decision Processes.* 1992;53:95-95.
- Gatouillat A, Dumortier A, Perera S, Badr Y, Gehin C, Sejdić E. Analysis of the pen pressure and grip force signal during basic drawing tasks: The timing and speed changes impact drawing characteristics. *Comput Biol Med.* 2017;1;87:124-131. <https://doi.org/10.1016/j.combiomed.2017.05.020>
- Cho KI, Lee SS, Ahn S. Inventors; Electronics, Telecommunications Research Institute, assignee. Device for measuring writing pressure of electronic pen. United States patent application US 13/535,507. 2013.
- Hook C, Kempf J, Scharfenberg G. New pen device for biometrical 3D pressure analysis of handwritten characters, words and signatures. In *Proceedings of the 2003 ACM SIGMM workshop on Biometrics methods and applications 2003* (pp. 38-44). ACM. <https://doi.org/10.1145/982507.982515>
- Mohammed LA, Found B, Caligiuri M, Rogers D. The dynamic character of disguise behavior for text-based, mixed, and stylized signatures. *J Forensic Sci.* 2011;56(Suppl 1):S136-S141. <https://doi.org/10.1111/j.1556-4029.2010.01584.x>
- Li CK, Wong SK, Chim LCJ. A Prototype of Mathematical Treatment of Pen Pressure Data for Signature Verification. *J Forensic Sci.* 2018;63(1):275-284. <https://doi.org/10.1111/1556-4029.13491>
- Mohammed L, Found B, Caligiuri M, Rogers D. Dynamic characteristics of signatures: effects of writer style on genuine and simulated signatures. *J Forensic Sci.* 2015;60(1):89-94. <https://doi.org/10.1111/1556-4029.12605>
- Caligiuri MP, Kim C, Landy KM. Kinematics of signature writing in healthy aging. *J Forensic Sci.* 2014;59(4):1020-1024. <https://doi.org/10.1111/1556-4029.12437>